





以上VCC 均为18V 电阻未标功率的 均为1/4W

Title		
Size	Number	Revision
A4		
Date:	2016/3/18	Sheet of
File:	D:\驱动板PCB\电磁炉驱动主板原理图	Drawn By:



Bill of Materials

<Parameter Title not found>

Source Data From: 电磁炉驱动板.PrjPCB
Project: 电磁炉驱动板.PrjPCB
Variant: None

Creation Date: 2016/3/18 13:52:54
Print Date: 42447 42447.57845

Footprint	Comment	LibRef	Designator	Description	Quantity	
瓷片电容 5mm	104	电容	C1		1	
瓷片电容 5mm	221	电容	C3		1	
瓷片电容 5mm	102J	电容	C6, C7		2	
电解电容 5.0*10*12.5mm 立式	35V 470uf	电解电容	C8		1	
电解电容 3.5*8*12mm 立式	16V 220uf	电解电容	C9		1	
电解电容 3.5*8*12mm 立式	35V 220uf	电解电容	C10		1	
二极管DO- 35-7.8mm	1N4148	二极管	D1, D2, D3, D8		4	
二极管 DO- 41-10mm	1N4007	二极管	D4		1	
排针1-10弯试	排针10	排针10	J1		1	
连接器1-2	排针2	排针2	J2		1	
电阻4/1W	电阻	电阻	R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R12, R13, R14, R15, R16, R17, R18, R19, R20, R22		21	
电位器3296w	可调电阻2	可调电阻2	R21		1	
电阻8/1W	电阻	电阻	R23, R24		2	
IC-14P	LM339	LM339	U1		1	
三极管TO- 92A-2.54	S8050	NPN ebc	VT1, VT3		2	
三极管TO- 92A-2.54	S8550	PNP ebc	VT2		1	
三极管TO- 92A-2.54	S9013	NPN ebc	VT4		1	
二极管DO- 35-7.8mm	18V	稳压二极管	ZD1		1	
					44	
Approved		Notes				